

ABSTRACT

Anti-plaque emulsions and methods of use are provided. The emulsion comprises a surfactant, emulsifier, and triclosan.

Figure 6. The effect of the number of iterations on the accuracy of the proposed algorithm. The results are shown for different values of α and β . The x-axis represents the number of iterations (0 to 100), and the y-axis represents the error (log scale, from 10^{-1} to 10^{-7}). The legend indicates the parameter pairs: $(\alpha=0.9, \beta=0.9)$, $(\alpha=0.9, \beta=0.8)$, $(\alpha=0.9, \beta=0.7)$, $(\alpha=0.9, \beta=0.6)$, $(\alpha=0.9, \beta=0.5)$, $(\alpha=0.8, \beta=0.9)$, $(\alpha=0.8, \beta=0.8)$, $(\alpha=0.8, \beta=0.7)$, $(\alpha=0.8, \beta=0.6)$, $(\alpha=0.8, \beta=0.5)$, $(\alpha=0.7, \beta=0.9)$, $(\alpha=0.7, \beta=0.8)$, $(\alpha=0.7, \beta=0.7)$, $(\alpha=0.7, \beta=0.6)$, $(\alpha=0.7, \beta=0.5)$, $(\alpha=0.6, \beta=0.9)$, $(\alpha=0.6, \beta=0.8)$, $(\alpha=0.6, \beta=0.7)$, $(\alpha=0.6, \beta=0.6)$, $(\alpha=0.6, \beta=0.5)$, $(\alpha=0.5, \beta=0.9)$, $(\alpha=0.5, \beta=0.8)$, $(\alpha=0.5, \beta=0.7)$, $(\alpha=0.5, \beta=0.6)$, $(\alpha=0.5, \beta=0.5)$.